

**What is claimed is:**

1. An optical communication module comprising:  
an emission member for emitting a transmission light  
beam; and

5 a connection member for detachably connecting an  
optical fiber for external communication with the emission  
member, the connection member including a tubular  
accommodation part for coaxially receiving and fixing an end of  
the optical fiber to be connected,

10 wherein the emission member and the connection  
member are arranged such that the transmission light beam  
intersects with an optical axis of the optical fiber at a  
predetermined angle to enter an end face of the optical fiber  
when the optical fiber is connected and the transmission light  
15 beam collides with an inner wall of the accommodation part  
when the optical fiber is detached.

2. An optical communication module according to claim  
1, wherein the inner wall of the accommodation part is  
20 designed to scatter the transmission light beam which collides  
therewith.

3. An optical communication module according to claim  
1, wherein the accommodation part includes on its inner wall a  
25 light scattering member for scattering the transmission light

beam which collides therewith.

4. An optical communication module according to claim 1, wherein the accommodation part includes on its inner wall a  
5 light absorbing member for absorbing the transmission light beam which collides therewith.

5. An optical communication module according to claim 1, wherein the accommodation part includes on its inner wall a  
10 concave portion for reflecting and absorbing the transmission light beam which collides therewith.

6. An optical communication module according to claim 1, wherein the end of the optical fiber includes an end face  
15 orthogonal to the optical axis of the optical fiber, and the predetermined angle is smaller than  $\sin^{-1} (n_1^2 - n_2^2)^{1/2}$  where a core and a clad of the optical fiber have refractive indices of  $n_1$  and  $n_2$ , respectively.

20 7. An optical communication module according to claim 1, wherein the end of the optical fiber includes an end face which forms an acute angle with a plane orthogonal to the optical axis of the optical fiber.

25 8. An optical communication module according to claim

1, wherein the end of the optical fiber forms a convex lens.